SIGNS USDOT DISPLAYS NUMBERS123

TAXI STORE FRONT WINDOWS DOORS SMILE

AUTOS ADVERTISING BUS LINES FREIGHT DOORS

REAL ESTATE SIGNS FIRE POLICE BUS

LETTERS® UNLIMITED INC.

WHOLESALE
SELF-ADHESIVE VINYL LETTERS, NUMERALS & LOGOS

OVER 6,000 CORPORATE LOGOS AVAILABLE

NATIONWIDE TOLL-FREE

1-800-422-4231

NATIONWIDE TOLL FREE FAX: 1-800-310-1557

1010 Morse Ave., Unit E • Schaumburg, IL 60193
Local: (847) 891-7811 • Local Fax: (847) 891-7810
www.LettersUnlimited.com
E-MAIL: SALES@LettersUnlimited.com

STANDARD VINYL

High performance intermediate. A high quality, UV resistant, fully pigmented 3 mil vinyl film. Coated with an aggressive permanent acrylic pressure-sensitive adhesive. All colors semi gloss. Ideal for flat or curved surfaces. Outdoor life of 5 years.

Black	72	Teal	90	Yellow	78
Silver	73	Light Green	61	Orange	79
White	74	Green	77	Red	76
Light Blue	84	Dark Green	91	Tomato Red	68
Olympic Blue	96	Gold	71	Burgundy	70
Medium Blue	80	Brown	75	Purple	85
Sapphire Blue	92	Beige	94	Pink	81
Dark Blue	83	Gray	69	Magenta	93
		Dark Gray	95		

Removable vinyl available for paint mask applications. Use standard vinyl pricing.

PREMIUM VINYL

High performance 2 Mil cast film with permanent adhesive. Black and white films have an outdoor life of 8 years, 7 year outdoor life for colors.

Gloss White	1001	Light Mauve	1025	Apple Green	1030
Almond	1004	Violet	1027	Pearl Grey	1020
Beige	1005	Raspberry	1028	Medium Grey	1021
Buckskin	1006	Purple	1029	Dark Grey	1022
Deep Mahogany	1036	Dark Blue	1019	Gloss Black	1003
Imitation Gold	1009	Sapphire Blue	1017	Silver Metallic	2049
Sunflower Yellow	1008	Vivid Blue	1018	Red Metallic	2042
Canary Yellow	1007	Olympic Blue	1016	Gold Metallic	2040
Bright Orange	1010	Peacock Blue	1015		
Tomato Red	1011	Real Teal	1035		
Cardinal Red	1012	Dark Aqua	1034		
Dark Red	1013	Light Aqua	1033		
Burgundy	1014	Dark Green	1032		
Blossom	1023	Bright Green	1031		

Metallized polyester
*Bright Chrome
*Bright Gold

*Use Reflective prices

REFLECTIVE VINYL

We offer a standard reflective vinyl XR-1000 by Fasson. 7 mil material conforms well for use in flat reflective signs. This vinyl meets the performance requirements of Federal Standard LS-300 cc. Outdoor life of 7 years.

White	9000	Tomato Red	9002	Green	9007
Sunflower Yellow	9001	Ruby Red	9008	Gold	9003
Orange	9004	Blue	9005	Black	9006

Color of actual material may vary from what is shown on this chart.

FLUORESCENT VINYL

A high visibility cast vinyl—great for exterior and short term outdoor use. Ideal for displays, promotional signs and safety applications. Outdoor life of 6 months.

Pink	3000	Orange	3005	Green	3003
Red	3004	Yellow	3002	Blue	3006

Sizing Information

Vinyl letters can be cut to heights from 1/2" to 24" in any increment. Some typestyles have minimum size requirements, see typestyle samples on fonts pages. All letters are pre-spaced for easy application.

Letters larger than 13" tall come in 2 parts, top and bottom.

Price Information

Use height of capital letters (upper case) to determine size and price.

Letters cut to heights between what is shown on the chart below will be priced according to the larger size. For instance, a letter with a height of 3-1/8" will be priced the same as a 3-1/2" tall letter.

Size	Standard Vinyl	Premium Vinyl	Reflective Vinyl	Fluorescent
.5"	$ .25	$ .40	N/A	$ .40
.75"	.30	.40	N/A	.40
1"	.30	.40	.55	.40
1.25"	.33	.48	.60	.48
1.5"	.40	.50	.75	.50
1.75"	.44	.50	.75	.50
2"	.44	.55	.80	.55
2.25"	.47	.60	.85	.60
2.5"	.50	.60	.90	.60
3"	.55	.70	1.00	.70
3.5"	.60	.74	1.20	.74
4"	.65	.80	1.50	.80
4.5"	.69	.80	1.70	.80
5"	.70	.90	1.80	.90
5.5"	.78	1.10	1.90	1.10
6"	.89	1.18	2.00	1.18
6.5"	.99	1.50	2.80	1.50
7"	1.15	1.60	3.00	1.60
8"	1.37	1.90	3.30	1.90
9"	1.70	2.20	4.75	2.20
10"	2.10	2.80	5.00	2.80
11"	3.00	3.30	5.50	3.30
12"	3.30	4.10	6.00	4.10
13"	3.75	5.00	6.50	5.00
14"	4.00	5.75	N/A	5.75
15"	4.70	6.00	N/A	6.00
16"	4.90	6.20	N/A	6.20
17"	5.00	6.60	N/A	6.60
18"	5.50	6.70	N/A	6.70
19"	5.90	7.50	N/A	7.50
20"	6.00	8.00	N/A	8.00
21"	7.00	8.00	N/A	8.00
22"	7.50	9.00	N/A	9.00
23"	7.50	9.75	N/A	9.75
24"	7.50	10.00	N/A	10.00

Minimum order $30.00

Discounts Available

1-9 of same set of letters (same copy) . . . Standard price in chart above
10-24 of same set of letters (same copy) . 5% off standard price
25+ of same set of letters (same copy) . . 10% off standard price
$150.00 - $249.00 . . . . . 5% off standard price
$250.00 - $499.00 . . . . . 10% off standard price
$500.00 - $999.00 . . . . . 15% off standard price
$1,000.00+ . . . . . Call for pricing

Discounts apply to Letters & Numbers only

All material 14" wide is also available uncut for creating custom logos. Prices for uncut material are:

Standard vinyl . . . . $2.00 per running foot
Premium vinyl . . . . . $3.00 per running foot
Reflective vinyl . . . . $7.00 per running foot
Fluorescent vinyl . . . $3.00 per running foot

HOW TO ORDER

See inside back cover for order form – photocopy as needed. Additional order forms available upon request.

Please use order form if ordering by FAX or Mail.

When Ordering Please Supply The Following:

- Letters Styles
- Capital Letter Height
- All Upper - Upper and Lower Case - All Lower
- Color and Material
- Printed or Typed Copy for Each Reading
- Left, Right or Center Margins
- Normal or Reverse Cut
- Space Limitations, If Any

PHONE

If ordering by phone, please have order form filled out completely before calling.

Phone in orders to:

Toll Free 1-800-422-4231

847-891-7811

Monday through Friday
8:30 A.M. to 4:00 P.M.
Central Standard Time
E-MAIL: SALES@LettersUnlimited.com

FAX

FAX completed order form to:

800-310-1557 or
847-891-7810

MAIL

Mail completed order form to:

Letters Unlimited, Inc.
1010 Morse Ave., Unit E
Schaumburg, IL 60193

Most orders received by 11:00 A.M. C.S.T. will be shipped the same day.

SHIPPING CHARGES

Amount of Order	UPS Ground
$1.00 - $30.00	* PLEASE CALL *
$31.00 - $149.00	* PLEASE CALL *
$150.00 +	No Charge for UPS ground service

Priority Mail $7.00 and up. Best method for orders under $100.00.
2 day service via UPS or Fed Ex available for $12.00 and up depending on weight of order.
Next day services via UPS available for $22.00 and up depending on weight of order and carrier.
C.O.D. Orders – Add $8.50 to Normal Shipping Charge
C.O.D.'S Available with UPS. Cashiers Check or Money Order Only.

LOGOS

Stock Logos

Over 6,000 corporate logos available from our stock! Chances are we have the logo you need. There is no set up charges to use a logo we have in stock. Call 1-800-422-4231 to see if we have the corporate logo you are looking for.

All logos priced per job depending on size and complexity.

Custom Logo Scanning

We can scan crisp, clean black and white art for your custom logo. One time set up charges start at $25.00 and go up based on quality of artwork submitted and complexity. Call 1-800-422-4231 for availability, pricing or more information. All custom logos are stored on our computer system for your future needs. Fax artwork for accurate quote.

Logos & complete jobs can be e-mailed: Please provide EPS, AI, DXF, PRN, GAD, WORD, WORKS or PDF. PC Format only.

TERMS OF SALE

TERMS OF SALE: **1)** NO MINIMUM ORDER; **2)** All prices are F.O.B. Our Location; **3)** All Orders C.O.D. Net 15 Days open account status only after credit application is submitted and approved. Orders on past due accounts will only be shipped C.O.D.; **4)** Cancellations are subject to charge for work completed; **5)** Shortages must be reported within 10 days after receipt of order. Otherwise shipment will be considered complete; **6)** Prices subject to change without notice; **7)** In the unlikely event we furnish you an incorrect or defective product, our liability extends only to the extent of replacing the product or, at our option, issuing a refund. We are not liable for resultant or subsequent damages; **8)** RETURNED CHECKS are subject to a $10 service fee; **9)** Add 35% for rush orders; **10)** OPEN ACCOUNT INVOICES NOT PAID IN 15 DAYS, ADD 1.5% PER MONTH AFTER 30 DAYS.

HOW TO FILL OUT THE ORDER FORM

PLEASE FOLLOW ORDER FORM FORMAT WHEN ORDERING BY PHONE

QUANTITY OF COPIES: The number of times you wish to have your copies made.

TYPESTYLE CODE: Listed in upper left corner of Typestyle Boxes in catalog.

SIZE: Size of letters in inches of capital letters

COLOR: Codes listed on color chart.

MATERIAL: Check one.

CONFIGURATION: All capital, All lower case, Upper & Lower case.

CUT: Normal application, or reverse cut for behind glass.

SLANT

SPACE LIMIT: Maximum length of line. Beginning of first letter to end of last letter in line. If no space limit leave blank.

MULTI LINE READINGS: For easy application of multi-line copies. Please specify centered copy or left justified.

QTY OF COPIES	TYPE STYLE CODE	SIZE	COLOR	MATERIAL		CONFIGURATION			CUT		SLANT	SPACE LIMIT	MULTI LINE READINGS		(LETTER SIZE BASED UPON CAPITALS) **COPY (PRINT OR TYPE)**	TOTAL CHAR	PRICE PER CHAR	TOTAL
				VINYL	REFL	ALL CAPS	ALL L.C.	CAPS & L.C.	NORM	REV			LEFT	CTR				
2	3	4	72	X		X			X			60		X	MICHAEL'S TRANSPORT			
2	3	4	72	X		X			X			60		X	555-1234			
1	10	2	80	X				X	X			32			F. P. HOCKEY			

HOW TO CALCULATE LINE LENGTH

Use this formula to calculate the width of a string of characters and spaces. Length of your copy will help you determine height of characters to fill your available space.

Quantity of letters, spaces and numbers multiplied by the letter height desired, multiplied by the width ration will result in the total length of the copy. Width ratios for all typestyles are listed by each type sample starting on page 5.

Formula:
Quantity of letters and spaces X letter height X width ratio = length in inches.

Example:
The copy "Information Desk Located on Second Floor" cut in 1-1/2" Helvetica Medium typestyle would be calculated as such:
Number of capital letters = 5
Number of spaces and lower case letters = 35
Letter height = 1-1/2" (1.5)
Width ratio of capital letters = .88
Width ratio of lower case letters = .65
Calculation:
(5 x 1.5 x .88) + (35 x 1.5 x .65) = 40.725" total length, letter to letter

A NOTE ABOUT AVAILABLE SPACE

Available space is not the size of the sign! Space limit is the available width you have for the copy. For instance, if you have a sign that is 52" wide and you ordered letters with a total line width (see above) of 52", the copy may extend to the very edges of the sign. **Order copy set in a size that will fill the space available for the copy, not to the full width of the sign.**

If an exact line width is required, please explain on the "Special Instructions" of the order form located on the inside back cover of this catalog.

Most often we can extend or condense lettering to meet your size limitations at no extra charge. Extending some typestyles over 30% may incur additional charge.

CONDENSED EXTENDED

SPECIAL CUT LETTERS

SLANT LEFT

SLANTED
SLANTED

Slant Right
No Extra Charge

POSITIVE ARCH

25% Upcharge
Not Available in All Typestyles

NEGATIVE ARCH

25% Upcharge
Not Available in All Typestyles

CENTER JUSTIFIED COPY

No Extra Charge

LEFT JUSTIFIED COPY

No Extra Charge

RIGHT JUSTIFIED COPY

No Extra Charge

DROP SHADOW

SHADOW
SHADOW

This effect requires 2 letters for each character. Double the cost of each character—you will receive 2 sets of letters.

DROP SHADOW WITH OUTLINE

SHADOW
SHADOW

This effect requires 2 letters for each character. Double the cost of each character—you will receive 2 sets of letters.

REVERSE CUT

No Extra Charge

REVERSE WEED

In Most Cases No Extra Charge

OUTLINE

If you want a character with an inside a different color than the outline this requires 2 letters for each character. Double the cost of each character—you will receive 2 sets of letters

VERTICAL STACK

LETTERS

No Extra Charge

Option A — CONCAVE TOP

15% Upcharge

Option B — CONCAVE BOTTOM

15% Upcharge

Option C — WEDGE BOTTOM

15% Upcharge

Option D — WEDGE BOTH

15% Upcharge

Option E — NOTCH BOTH

15% Upcharge

Option F — WEDGE TOP

15% Upcharge

Option G — INVERTED

15% Upcharge

Option H — PEAK BOTH

25% Upcharge

WE OFFER MANY MORE SPECIAL EFFECTS THAN ARE LISTED HERE. CALL US FOR AVAILABILITY AND PRICES.

Our staff is available to help determine a typestyle that will fit your needs, please contact our office if you need assistance. There are over 200 typestyles described in this catalog. If you cannot find a particular typestyle we also have over 5,000 true type fonts at our disposal. Please specify name of true type font. If we don't have the true type font you're looking for just e-mail the entire true type font to us and we will use it on your job and keep it in our library of typestyles for future use.

Most Commonly Used Typestyles

0 **HELVETICA MEDIUM**
Width Ratios: CAPS .88
LC .69
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&()-:?/

---

1 **CLARENDON BOLD**
Width Ratios: CAPS 1.14
LC .86
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

---

2 **BRUSH SCRIPT***
Width Ratios: CAPS 1.0
LC .85
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$&()+:?/

---

3 **HELVETICA BOLD**
Width Ratios: CAPS 1.0
LC .85
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRTSUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&*()-:?/

---

9 **OPTIMA SEMI BOLD**
Width Ratios: CAPS .88
LC .73
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

---

19 **GOUDY EXTRA BOLD**
Width Ratios: CAPS 1.04
LC .74
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

---

6 **FRANKLIN GOTHIC EXTRA CONDENSED**
Width Ratios: CAPS .54
LC .47
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

---

91 **TIMES BOLD ITALIC**
Width Ratios: CAPS .90
LC .60
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

---

8 **DOM CASUAL**
Width Ratios: CAPS .58
LC .41
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

---

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Aachen Bold – Antique Olive Medium

25 **AACHEN BOLD**
Width Ratios: CAPS .83
LC .70
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

28 **AACHEN MEDIUM**
Width Ratios: CAPS .76
LC .64
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

92 **ACADEMY ENGRAVED**
Width Ratios: CAPS 1.02
LC .66
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

93 **ALBURTUS**
Width Ratios: CAPS .86
LC .61
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

29 **AMERICAN TYPE BOLD**
Width Ratios: CAPS 1.17
LC .93
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

30 **AMERICAN UNCIAL**
Width Ratios: CAPS 1.02 LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

94 **AMERICANA BOLD**
Width Ratios: CAPS 1.13
LC .88
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

95 **ANGLAISE****
Width Ratios: CAPS 1.21
LC .48
Minimum Height: 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

96 **ANN. GROTESQUE**
Width Ratios: CAPS 1.31
LC 1.07
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

32 **ANTIQUE OLIVE BOLD**
Width Ratios: CAPS .87
LC .81
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

31 **ANTIQUE OLIVE MEDIUM**
Width Ratios: CAPS .76
LC .68
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

33 **ANTIQUE OLIVE NORD**
Width Ratios: CAPS 1.31
LC 1.16
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

97 **ARNOLD BOCKLIN**
Width Ratios: CAPS .95
LC .78
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

17 **ATHLETIC SCRIPT****
Width Ratios: CAPS .74
LC .49
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

98 **AUGUSTEA OPEN**
Width Ratios: CAPS .98 LC N/A
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

23 **AVANT EXTRA BOLD**
Width Ratios: CAPS .87
LC .73
Minimum Height: .5"

AAABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

18 **AVANT GARDE**
Width Ratios: CAPS .79
LC .68
Minimum Height: 1"

AAABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

99 **BABYTEETH**
Width Ratios: CAPS .91 LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

100 **BALLOON BOLD**
Width Ratios: CAPS .62 LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

101 **BASKERVILLE**
Width Ratios: CAPS .97
LC .61
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

102 **BASKERVILLE BOLD**
Width Ratios: CAPS 1.06
LC .74
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

76 **BAUHAUS**
Width Ratios: CAPS .81
LC .67
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Bembo Bold – Bookman Bold

103 **BEMBO BOLD**
Width Ratios: CAPS 1.08
LC .76
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

104 **BENGUIAT MED.**
Width Ratios: CAPS .98
LC .80
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

105 **BERLING**
Width Ratios: CAPS .95
LC .64
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

34 **BERLING BOLD**
Width Ratios: CAPS .96
LC .65
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

106 **BERLING ITALIC**
Width Ratios: CAPS .94
LC .61
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

107 **BILLBOARD BLACK**
Width Ratios: CAPS .96
LC .77
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

108 **BLIPPO BOLD**
Width Ratios: CAPS .71
LC .69
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

109 **BODONI BOLD**
Width Ratios: CAPS .98
LC .72
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

110 **BODONI BOOK**
Width Ratios: CAPS .78
LC .55
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

111 **BOOKMAN BOLD**
Width Ratios: CAPS .97
LC .66
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

112 **BOOKMAN BOLD SWASHES**
Width Ratios: CAPS 1.26
LC .66
Minimum Height: 1"



84 **BREEZE SCRIPT**
Width Ratios: CAPS .81
LC .51
Minimum Height: 1"

35 **BROADWAY**
Width Ratios: CAPS 1.07
LC .92
Minimum Height: 1"

113 **BROADWAY ENGRAVED**
Width Ratios: CAPS 1.07 LC N/A
Minimum Height: 2"

114 **BRODY SCRIPT**
Width Ratios: CAPS .72
LC .52
Minimum Height: 1"

115 **BRONX MODIFIED**
Width Ratios: CAPS 1.07
LC .79
Minimum Height: 3"



2 **BRUSH SCRIPT***
Width Ratios: CAPS 1.00
LC .85
Minimum Height: 1"

116 **BURGESS BRUSH**
Width Ratios: CAPS 1.06
LC .90
Minimum Height: .5"



117 **CABLE HEAVY**
Width Ratios: CAPS .79
LC .67
Minimum Height: .5"

118 **CANDICE***
Width Ratios: CAPS 1.67
LC .84
Minimum Height: 1"



*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Caslon Ad Bold – Charter Oak

119 **CASLON AD BOLD**
Width Ratios: CAPS .90
LC .65
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

120 **CASLON BLACK**
Width Ratios: CAPS .92
LC .75
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

121 **CASLON BOLD CONDENSED**
Width Ratios: CAPS .78
LC .56
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

122 **CASLON ITALIC**
Width Ratios: CAPS .91
LC .53
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

123 **CASLON SWASHES***
Width Ratios: CAPS 1.28
LC .53
Minimum Height: 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

124 **CASUALEE CURSIVE***
Width Ratios: CAPS .95
LC .56
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

5 **CENTURY BOLD**
Width Ratios: CAPS .90
LC .64
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

125 **CENTURY BOLD ITALIC**
Width Ratios: CAPS .90
LC .63
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

126 **CENTURY SCHOOLBOOK**
Width Ratios: CAPS .97
LC .72
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

127 **CHARTER OAK**
Width Ratios: CAPS 1.05
LC .83
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

128 **CHELTENHAM MEDIUM**
Width Ratios: CAPS .93
LC .62
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

87 **CHELTENHAM BOLD**
Width Ratios: CAPS 1.03
LC .81
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

129 **CITY MEDIUM**
Width Ratios: CAPS .76
LC .62
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

1 **CLARENDON BOLD**
Width Ratios: CAPS 1.14
LC .86
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWX
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

22 **CLARENDON MEDIUM**
Width Ratios: CAPS 1.05
LC .80
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

11 **COMMERCIAL SCRIPT* ****
Width Ratios: CAPS 1.15
LC .58
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

7 **COOPER BLACK**
Width Ratios: CAPS 1.11
LC .90
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

130 **COOPER BLACK ITALIC**
Width Ratios: CAPS 1.06
LC .81
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

131 **COOPER GOTHIC MEDIUM**
Width Ratios: CAPS 1.08
LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

132 **CRAW CLAR. CONDENSED**
Width Ratios: CAPS .70
LC .61
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Crillee Extra Bold – Eastern Souvenir Bold

36 **CRILLEE EXTRA BOLD**
Width Ratios: CAPS .96
LC .84
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

37 **CRILLEE ITALIC**
Width Ratios: CAPS .85
LC .77
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

133 **DATA 70**
Width Ratios: CAPS .79
LC .59
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

134 **DAVIDA**
Width Ratios: CAPS .83
LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

80 **DEVINNE ORNAMENTED**
Width Ratios: CAPS 1.06
LC .76
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

135 **DEMIAN BOLD**
Width Ratios: CAPS .82
LC .58
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

136 **DIANA SCRIPT****
Width Ratios: CAPS 1.25
LC .56
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

137 **DOM BOLD**
Width Ratios: CAPS .65
LC .48
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

8 **DOM CASUAL**
Width Ratios: CAPS .58
LC .41
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

88 **DYNAMO**
Width Ratios: CAPS .90
LC .77
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

138 **EASTERN SOUVENIR BOLD**
Width Ratios: CAPS .81
LC .62
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Egypt Bold Condensed – Folio Medium

139 **EGYPT BOLD CONDENSED**
Width Ratios: CAPS .77
LC .59
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

140 **EMERALD**
Width Ratios: CAPS .87
LC .67
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

141 **ENGINEERING STANDARD**
Width Ratios: CAPS .87
LC N/A
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

38 **EUROSTILE BOLD**
Width Ratios: CAPS .95
LC .72
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

10 **EUROSTILE BOLD EXTENDED**
Width Ratios: CAPS 1.35
LC .98
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

142 **EUROSTILE MED. EXTENDED**
Width Ratios: CAPS 1.26
LC .89
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

143 **EUROSTILE MEDIUM**
Width Ratios: CAPS .84
LC .61
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

144 **EXPORT**
Width Ratios: CAPS .82
LC .62
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

145 **FLASH MEDIUM**
Width Ratios: CAPS .77
LC .68
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

146 **FOLIO EXTRA BOLD**
Width Ratios: CAPS 1.00
LC .89
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

147 **FOLIO LIGHT**
Width Ratios: CAPS .85
LC .60
Minimum Height: 1.5", 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

148 **FOLIO MEDIUM**
Width Ratios: CAPS .90
LC .65
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Frankfurter – Frutiger 65

39 **FRANKFURTER**
Width Ratios: CAPS .90
LC N/A
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

89 **FRANKFURTER HILITE**
Width Ratios: CAPS .92
LC N/A
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

6 **FRANKLIN GOTHIC X-CONDENSED**
Width Ratios: CAPS .54
LC .47
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

15 **FRANKLIN GOTHIC 130**
Width Ratios: CAPS .71
LC .62
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

40 **FRANKLIN GOTHIC**
Width Ratios: CAPS .90
LC .71
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

149 **FRANKLIN GOTHIC BOLD**
Width Ratios: CAPS .90
LC .72
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

150 **FREEHAND**
Width Ratios: CAPS 1.01
LC .62
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

151 **FREESTYLE SCRIPT BOLD* ****
Width Ratios: CAPS .73
LC .53
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

41 **FRIAR MODIFY CONNECTED**
Width Ratios: CAPS .57
LC .40
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

27 **FRIZ QUADRATA BOLD**
Width Ratios: CAPS .93
LC .78
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

152 **FRUTIGER 65**
Width Ratios: CAPS .86
LC .71
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

153 **FRUTIGER 75**
Width Ratios: CAPS .92
LC .78
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

154 **FULL BLOCK**
Width Ratios: CAPS .85
LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

155 **FUTURA BLACK**
Width Ratios: CAPS .88
LC .69
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

42 **FUTURA BOLD**
Width Ratios: CAPS .93
LC .78
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

43 **FUTURA BOOK**
Width Ratios: CAPS .72
LC .55
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

45 **FUTURA DEMI BOLD**
Width Ratios: CAPS .88
LC .68
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

156 **FUTURA DISPLAY**
Width Ratios: CAPS .67
LC .60
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

157 **FUTURA EXTRA BOLD**
Width Ratios: CAPS .95
LC .80
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

44 **FUTURA MEDIUM**
Width Ratios: CAPS .82
LC .61
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

158 **FUTURA X-BOLD CONDENSED**
Width Ratios: CAPS .75
LC .65
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Garamond Bold Italic – Goudy Heavy Face Condensed

81 **GARAMOND BOLD ITALIC**
Width Ratios: CAPS 1.08
LC .86
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

75 **GARAMOND BOLD**
Width Ratios: CAPS 1.06
LC .77
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

159 **GARTH GRAPHIC**
Width Ratios: CAPS 1.14
LC .86
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

46 **GILL KAYO**
Width Ratios: CAPS 1.09
LC .95
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

47 **GILL SANS**
Width Ratios: CAPS .84
LC .59
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

48 **GILL SANS BOLD**
Width Ratios: CAPS .93
LC .68
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

49 **GILL SANS EXTRA BOLD**
Width Ratios: CAPS 1.03
LC .82
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

160 **GOUDY BOLD**
Width Ratios: CAPS 1.00
LC .66
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

19 **GOUDY EXTRA BOLD**
Width Ratios: CAPS 1.04
LC .74
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

161 **GOUDY HAND TOOLED**
Width Ratios: CAPS .96
LC .63
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

162 **GOUDY HEAVY FACE CONDENSED**
Width Ratios: CAPS .91
LC .76
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

163 **GOUDY OLD STYLE**
Width Ratios: CAPS .91
LC .60
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

164 **GOUDY OLD STYLE ITALIC**
Width Ratios: CAPS .90
LC .55
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

21 **HANDEL GOTHIC**
Width Ratios: CAPS .95
LC .73
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

50 **HARLOW SOLID***
Width Ratios: CAPS 1.27
LC .63
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

165 **HAWTHORN**
Width Ratios: CAPS .79
LC .60
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

3 **HELVETICA BOLD**
Width Ratios: CAPS 1.00
LC .85
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRTSUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&*()-:?/

166 **HELVETICA MEDIUM COMPACT**
Width Ratios: CAPS .53
LC .43
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

74 **HELVETICA REGULAR**
Width Ratios: CAPS .86
LC .64
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

167 **HELVETICA EXTRA LIGHT**
Width Ratios: CAPS .81
LC .59
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

90 **HELVETICA COMPACT**
Width Ratios: CAPS .63
LC .54
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Helvetica Extra Bold – Kabel Medium

169 **HELVETICA EXTRA BOLD**
Width Ratios: CAPS 1.01
LC .83
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

0 **HELVETICA MEDIUM**
Width Ratios: CAPS .88
LC .69
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&()-:?/

170 **HIGHWAY GOTHIC B**
Width Ratios: CAPS .47
LC .41
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

20 **HIGHWAY GOTHIC C**
Width Ratios: CAPS .59
LC .50
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

171 **HIGHWAY GOTHIC D**
Width Ratios: CAPS .70
LC N/A
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

86 **HOBO**
Width Ratios: CAPS .73
LC .56
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

172 **HORATIO MEDIUM**
Width Ratios: CAPS .71
LC .57
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

173 **INFORMAL ROMAN***
Width Ratios: CAPS 1.02
LC .73
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

174 **JANCZYK JUBILEE CONN.**
Width Ratios: CAPS .89
LC .58
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

175 **JENSEN MEDIUM**
Width Ratios: CAPS .92
LC .67
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

176 **KABEL MEDIUM**
Width Ratios: CAPS .81
LC .50
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Kalligraphia – Marker

177 **KALLIGRAPHIA**
Width Ratios: CAPS 1.11
LC .55
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

178 **KAUFMANN BOLD****
Width Ratios: CAPS .85
LC .60
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

179 **KESTREL CONN.**
Width Ratios: CAPS 1.10
LC .64
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

180 **KOLOSS**
Width Ratios: CAPS 1.01
LC .93
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

83 **LCD**
Width Ratios: CAPS .66
LC N/A
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

181 **LASER CONNECTED**
Width Ratios: CAPS 1.02
LC .70
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

182 **LE GRIFFE***
Width Ratios: CAPS 1.09
LC .53
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

183 **LECTURA**
Width Ratios: CAPS .91
LC .65
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

184 **LECTURA BOLD**
Width Ratios: CAPS .94
LC .69
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

53 **MARKER**
Width Ratios: CAPS .70
LC .65
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Melior Semi Bold – Olde English

185 **MELIOR SEMI BOLD**
Width Ratios: CAPS .93
LC .70
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

186 **MILITARY BLOCK**
Width Ratios: CAPS .65
LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

187 **MISTRAL CONNECTED* ****
Width Ratios: CAPS .67
LC .56
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

188 **MONUMENT BLOCK**
Width Ratios: CAPS .52
LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

189 **MONUMENT MOD. ROMAN BOLD**
Width Ratios: CAPS .87
LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

190 **MONUMENT MODIFY ROMAN**
Width Ratios: CAPS .76
LC N/A
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

14 **MURRAY HILL BOLD***
Width Ratios: CAPS 1.13
LC .44
Minimum Height: 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

191 **NARROW FULL BLOCK**
Width Ratios: CAPS .59
LC N/A
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

192 **NEIL BOLD**
Width Ratios: CAPS .81
LC .67
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

193 **NEVISON CASUAL MODIFY***
Width Ratios: CAPS 1.06
LC .69
Minimum Height: 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

194 **NEWS GOTHIC BOLD**
Width Ratios: CAPS .75
LC .61
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

16 **OLDE ENGLISH***
Width Ratios: CAPS .86
LC .53
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

195 **OPTIMA MEDIUM**
Width Ratios: CAPS .85
LC .67
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

12 **OPTIMA REGULAR**
Width Ratios: CAPS .81
LC .62
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

9 **OPTIMA SEMI BOLD**
Width Ratios: CAPS .88
LC .73
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!#$%&():?/

196 **P.T. BARNUM**
Width Ratios: CAPS .48
LC .40
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

82 **PALATINO BOLD**
Width Ratios: CAPS .95
LC .68
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

52 **PALATINO ITALIC**
Width Ratios: CAPS .92
LC .53
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

197 **PALATINO ULTRA**
Width Ratios: CAPS .98
LC .73
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

198 **PARK AVENUE***
Width Ratios: CAPS 1.21
LC .49
Minimum Height: 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

85 **PEIGNOT BOLD**
Width Ratios: CAPS .90
LC .64
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

199 **PEIGNOT MEDIUM**
Width Ratios: CAPS .82
LC .57
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Parpetua Bold – Rickshaw

200 **PARPETUA BOLD**
Width Ratios: CAPS 1.02
LC .78
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

201 **PARPETUA REGULAR**
Width Ratios: CAPS .91
LC .61
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

202 **PLAYBILL**
Width Ratios: CAPS .49
LC .38
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

51 **PLAZA ULTRA**
Width Ratios: CAPS .76
LC .70
Minimum Height: 1"

AABBCCDDEEFFGGHHIIJJKKLLMM
NNOOPPQQRRSSTTUUVVWWXXYYZZ
0123456789

79 **PRETORIAN**
Width Ratios: CAPS 1.08
LC .84
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

203 **RADIANT BOLD**
Width Ratios: CAPS .48
LC .41
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

204 **RAGE ITALIC CONNECTED***
Width Ratios: CAPS .96
LC .61
Minimum Height: 3"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

54 **RAPHAEL**
Width Ratios: CAPS .80
LC .59
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

205 **RHAPSODIE***
Width Ratios: CAPS 1.0
LC .61
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

206 **RICKSHAW**
Width Ratios: CAPS .76
LC .59
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

207 **ROBS MEDIUM***
Width Ratios: CAPS .72
LC N/A
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

57 **RODEO**
Width Ratios: CAPS 1.08
LC .80
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

208 **SABON BOLD**
Width Ratios: CAPS 1.00
LC .69
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

55 **SERIF GOTHIC BOLD**
Width Ratios: CAPS .77
LC .66
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

209 **SERIFA**
Width Ratios: CAPS 1.00
LC .78
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

210 **SERPENTINE BOLD**
Width Ratios: CAPS 1.12
LC 1.00
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

211 **SIGN PT SCRIPT CONNECTED****
Width Ratios: CAPS .49
LC .33
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

77 **SOUVENIR DEMI BOLD**
Width Ratios: CAPS 1.00
LC .75
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

56 **STANDARD BOLD CONDENSED**
Width Ratios: CAPS .64
LC .55
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

212 **STANDARD EXTENDED MEDIUM**
Width Ratios: CAPS 1.04
LC .79
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

213 **STANDARD MEDIUM**
Width Ratios: CAPS .84
LC .66
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Stencil Bold – Transport Heavy

214 **STENCIL BOLD**
Width Ratios: CAPS .94
LC .80
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

215 **STENCIL GOTHIC**
Width Ratios: CAPS .67 LC N/A
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

216 **STOP**
Width Ratios: CAPS .83 LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

217 **STYMIE EXTRA BOLD**
Width Ratios: CAPS .93
LC .74
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

58 **TABASCO BOLD***
Width Ratios: CAPS .86
LC .70
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

26 **TIFFANY HEAVY**
Width Ratios: CAPS 1.20
LC .97
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

13 **TIMES BOLD**
Width Ratios: CAPS .96
LC .64
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

91 **TIMES BOLD ITALIC**
Width Ratios: CAPS .90
LC .60
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

219 **TIMES ITALIC**
Width Ratios: CAPS .90
LC .60
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

78 **TINKER**
Width Ratios: CAPS 1.08 LC N/A
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

220 **TITUS MEDIUM**
Width Ratios: CAPS 1.00
LC .69
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

221 **TRANSPORT HEAVY**
Width Ratios: CAPS .85
LC .69
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

222 **TRANSPORT MEDIUM**
Width Ratios: CAPS .83
LC .65
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

223 **TRIPLET EXTRA BOLD**
Width Ratios: CAPS .92
LC .75
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

60 **UNIVERSITY ROMAN**
Width Ratios: CAPS .78
LC .59
Minimum Height: 2"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

224 **UNIVERS 45**
Width Ratios: CAPS .78
LC .57
Minimum Height: 1.5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

225 **UNIVERS 49**
Width Ratios: CAPS .37
LC .29
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

226 **UNIVERS 55**
Width Ratios: CAPS .84
LC .63
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

227 **UNIVERS 57**
Width Ratios: CAPS .65
LC .50
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

228 **UNIVERS 67**
Width Ratios: CAPS .71
LC .56
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

61 **V.A.G.**
Width Ratios: CAPS .85
LC .70
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

229 **VENUS**
Width Ratios: CAPS 1.20
LC .91
Minimum Height: .5"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

230 **VERMARCO**
Width Ratios: CAPS .62 LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

Verve Modified – Zapf Chancery Bold

231 **VERVE MODIFIED****
Width Ratios: CAPS .90
LC .57
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

62 **VIVALDI***
Width Ratios: CAPS 1.65
LC .52
Minimum Height: 2"

---

232 **VOLTA BOLD**
Width Ratios: CAPS 1.49
LC 1.16
Minimum Height: .5"

ABCDEFGHIJKLMN
OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

63 **WALBAUM FRACTUR***
Width Ratios: CAPS 1.01
LC .55
Minimum Height: 1.5"



---

233 **WESTERN**
Width Ratios: CAPS .59 LC N/A
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789

---

234 **WINDSOR BOLD**
Width Ratios: CAPS 1.09
LC .77
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

64 **ZAPF CHANCERY BOLD**
Width Ratios: CAPS 1.17
LC .84
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
01234567890

---

235 **ZAPF CHANCERY BOLD ITALIC**
Width Ratios: CAPS 1.14
LC .86
Minimum Height: 1"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

---

*Some capital letters are larger than specified; **This typestyle cannot be arched; Punctuations available for all type styles.

4

GENERAL SYMBOLS EXTENDED
Use Reflective Pricing
For Prices.



24

BUSINESS SYMBOLS
Use Reflective Pricing
For Prices.



65

GENERAL SYMBOLS II
Use Reflective Pricing
For Prices.



66

HOLIDAY SYMBOLS
Use Reflective Pricing
For Prices.
4" Minimum

Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

Symbols

67

HOSPITAL SYMBOLS
Use Reflective Pricing For Prices.
3" Minimum



68

INTERNATIONAL SYMBOLS AND AIRPORT GRAPHICS
Use Reflective Pricing For Prices.
3" Minimum



69

SAFETY SYMBOLS
Use Reflective Pricing For Prices.
3" Minimum



70

TRADE SYMBOLS
Use Reflective Pricing For Prices.
3" Minimum



Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

71

SPORTS
SYMBOLS
Use Reflective Pricing
For Prices.
3" Minimum



72

FOOD 1
LIBRARY
Use Reflective Pricing
For Prices.
4" Minimum



73

FOOD 3
LIBRARY
Use Reflective Pricing
For Prices.
4" Minimum



Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

236 ADDITIONAL SYMBOLS

Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

237 ADDITIONAL SYMBOLS



Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

238 ADDITIONAL SYMBOLS

Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

239 ADDITIONAL SYMBOLS

Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

240 ADDITIONAL SYMBOLS

1 2 3 4 5 6 7 8 9 10

11 12 13 14 15 16 17 18 19 20

21 22 23 24 25 26 27 28 29 30

31 32 33 34 35 36 37 38 39 40

41 42 43 44 45 46 47 48 49 50

51 52 53 54 55 56 57 58 59 60

61 62 63 64 65 66 67 68 69 70

71 72 73 74 75 76 77 78 79 80

81 82 83 84 85 86 87 88 89 90

91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110

111 112 113 114 115 116 117 118 119 120

121 122 123 124 125 126 127 128 129 130

Minimum height requirements on all symbols. Call our office for pricing and availability of sizes. Prices determined by size, complexity & quantity.

241 ADDITIONAL SYMBOLS



Minimum height requirements on all symbols. Call our office for pricing. Prices determined by size, complexity, material & quantity.

242 ADDITIONAL SYMBOLS



Minimum height requirements on all symbols. Call our office for pricing. Prices determined by size, complexity, material & quantity.

243 ADDITIONAL SYMBOLS



Minimum height requirements on all symbols. Call our office for pricing. Prices determined by size, complexity, material & quantity.

244 ADDITIONAL SYMBOLS



Minimum height requirements on all symbols. Call our office for pricing. Prices determined by size, complexity, material & quantity.

LETTERS UNLIMITED®
1010 MORSE AVE., UNIT E
SCHAUMBURG, IL 60193
1-800-422-4231
IN IL: (847) 891-7811
FAX: (847) 891-7810
TOLL FREE FAX: 1-800-310-1557
www.LettersUnlimited.com
E-MAIL: SALES@LettersUnlimited.com

ORDER FORM

Sold To _____
Address _____
City _____ State _____ Zip _____
Phone (_____) _____
Ship To _____
Address _____
City _____ State _____ Zip _____

DO NOT WRITE IN THIS SPACE
Job No. _____ Inv. No. _____
Customer No. _____ Inv. Date _____

Date _____ P.O. No. _____
☐ C O D
☐ Open Account ☐ Cash Rec'd. _____
Ship Via _____
Special Instr. _____

PRE-SPACED WORD LEGENDS

QTY OF COPIES	TYPE STYLE CODE	SIZE	COLOR	MATERIAL		CONFIGURATION			CUT		SLANT	SPACE LIMIT	MULTI LINE READINGS		(LETTER SIZE BASED UPON CAPITALS) **COPY (PRINT OR TYPE)**	TOTAL CHAR.	PRICE PER CHAR.	TOTAL
				VINYL	REFL.	ALL CAPS	ALL L.C.	CAPS & L.C.	NORM.	REV.			LEFT	CTR.				

SPECIAL INSTRUCTIONS

Sub Total _____
_____
Discount _____
Shipping _____
Total Due _____

CREDIT CARD SALE INFORMATION

SIGNATURE _____

PRINT NAME AS IT APPEARS ON CARD _____

AMERICAN EXPRESS DISCOVER VISA MasterCard Exp. Date

Make copies of order forms or call our office for additional order forms.

SEE CATALOG FOR TYPE STYLES & COLORS

SIMPLIFIED ORDER FORM

Fax To: 1-800-310-1557 or Call 1-800-422-4231

SKETCH YOUR LAYOUT AND FAX FOR: *ORDER* OR QUOTE *(Circle One)*
PRINT COPY *EXACTLY* THE WAY YOU WANT IT TO APPEAR.

OUR FAX BACK SERVICE WILL FAX YOU A DRAWING TO SCALE FOR YOUR APPROVAL.

Mail Orders To:

Letters Unlimited Inc.
1010 MORSE AVE. • UNIT E
SCHAUMBURG, IL 60193
TOLL FREE: 1-800-422-4231
PHONE: 1-847-891-7811
TOLL FREE FAX: 1-800-310-1557
www.LettersUnlimited.com
E-MAIL: SALES@LettersUnlimited.com

Subtotal $ _____

Discount $ _____

Shipping $ * PLEASE CALL *

C.O.D. $ $8.50

Total $ _____

No C.O.D. charge for VISA/MASTER or prepaid orders. N/C for ground shipping on orders over $150.00.

Information we need to know to help with your order.



1. We need to know your working area. I will make Letters to fit inside this area.
2. Color for each line. Color codes re in Catalog.
3. Typestyles for each line. Typestyle codes are in catalog.
4. Size letters for each line. If you are not sure about sizes give us a general idea and we will help.
5. Quantity of copies.

SHIP TO:

_____

_____

_____

PHONE NO. (____) _____

Exp. Date

Signature _____

Make copies of order forms or call our office for additional order forms.

LETTERS UNLIMITED®
1010 MORSE AVE., UNIT E
SCHAUMBURG, IL 60193
1-800-422-4231
IN IL: (847) 891-7811
FAX: (847) 891-7810
TOLL FREE FAX: 1-800-310-1557
www.LettersUnlimited.com
E-MAIL: SALES@LettersUnlimited.com

ORDER FORM

Sold To _____
Address _____
City _____ State _____ Zip _____
Phone (_____) _____
Ship To _____
Address _____
City _____ State _____ Zip _____

DO NOT WRITE IN THIS SPACE

Job No. _____ Inv. No. _____
Customer No. _____ Inv. Date _____

Date _____ P.O. No. _____
☐ C O D
☐ Open Account ☐ Cash Rec'd. _____
Ship Via _____
Special Instr. _____

PRE-SPACED WORD LEGENDS

QTY OF COPIES	TYPE STYLE CODE	SIZE	COLOR	MATERIAL		CONFIGURATION			CUT		SLANT	SPACE LIMIT	MULTI LINE READINGS		(LETTER SIZE BASED UPON CAPITALS) **COPY (PRINT OR TYPE)**	TOTAL CHAR.	PRICE PER CHAR.	TOTAL
				VINYL	REFL.	ALL CAPS	ALL L.C.	CAPS & L.C.	NORM.	REV.			LEFT	CTR.				

SPECIAL INSTRUCTIONS

Sub Total _____
_____
Discount _____
Shipping _____
Total Due _____

CREDIT CARD SALE INFORMATION

_____
SIGNATURE

_____
PRINT NAME AS IT APPEARS ON CARD

AMERICAN EXPRESS DISCOVER VISA MasterCard Exp. Date

Make copies of order forms or call our office for additional order forms.

SEE CATALOG FOR TYPE STYLES & COLORS

LETTERS® UNLIMITED INC.

Application Instructions

Squeegees are supplied FREE with every order.

SURFACE PREPARATION

All surfaces must be considered dirty and must be cleaned prior to the application of markings.

Clean the area where the markings are to be applied with a household cleaner, a non-ammonia base. We recommend an alcohol based cleaner such as denatured alcohol or equivilant. Rinse thoroughly and dry.

When applying letters to painted surfaces, paint should be an enamel base paint or high quality latex enamel. We do not recommend or guarantee applications to latex paint.

TEMPERATURE REQUIREMENTS

Air and application surface temperatures must be above 40˚F.

CENTER HINGE METHOD

1) Position legend with tacks (small pieces of masking tape) ***See figure 1***.
2) Apply masking tape vertically through center of legend. ***See figure 2***.
3) Remove tack from one end, lay legend over towards center tape hinge.
4) Pull release liner away from application tape and legend until close to hinge.
5) Cut release liner with scissors and discard.
6) Squeegee down exposed half of legend. Holding the end up and allowing the squeegee to cause contact.
7) Remove the tack and hinge and lay the other half over.
8) Remove the rest of the release liner and squeegee into place.
9) Remove application tape.

Figure 1

Figure 2



Figure 3

Figure 4

HORIZONTAL HINGE METHOD



1) Position legend with tacks (small pieces of masking tape). ***See figure 1***.
2) Apply masking tape horizontally across top of legend. ***See figure 3***.
3) Remove both tacks.
4) Cut legend into smaller areas (vertically between letters). ***See figure 4***.
5) Starting at right (if right-handed), flip one section over and remove release liner.
6) Wipe sign surface free of dust (which may have come from the back of the legend).
7) Squeegee into place using one smooth downward stroke. Repeat for balance of legend.
8) Re-squeegee using more pressure.
9) Remove application tape.

1010 Morse Ave, Unit E • Schaumburg, IL 60193

847-891-7811 • 1-800-422-4231 Nationwide • Fax# 847-891-7810

Toll Free Fax # 1-800-310-1557